

Explore

Notes

Output Created	29-FEB-2016 13:13:02		
Comments			
Input	Data	D:\Google Drive\ELEX_2016\CD\Bab 4\4.2.2.sav	
	Active Dataset	DataSet1	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	20	
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.	
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.	
Syntax	EXAMINE VARIABLES=y_Oksigen /PLOT BOXPLOT NPLOT /COMPARE GROUPS /STATISTICS NONE /INTERVAL 95 /MISSING LISTWISE /NOTOTAL.		
Resources	Processor Time	00:00:02.16	
	Elapsed Time	00:00:00.95	

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
y_Oksigen	20	100.0%	0	0.0%	20	100.0%

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
y_Oksigen	.102	20	.200*	.968	20	.713

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

y_Oksigen





