

Crosstabs

Notes

Output Created	27-DEC-2020 19:53:25	
Comments		
Input	Data	D:\ELEX2020\2020-2021\Data\Input\Data 4.2.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	90
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	CROSSTABS /TABLES=Jenis_Kelamin BY Status /FORMAT=AVALUE TABLES /STATISTICS=CHISQ PHI /CELLS=COUNT EXPECTED TOTAL /COUNT ROUND CELL /BARCHART.	
Resources	Processor Time	00:00:00.14
	Elapsed Time	00:00:00.11
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jenis_Kelamin * Status	90	100.0%	0	0.0%	90	100.0%

Jenis_Kelamin * Status Crosstabulation

			Status		Total
			Tidak	Sembuh	
Jenis_Kelamin	Laki-laki	Count	9	32	41
		Expected Count	8.7	32.3	41.0
		% of Total	10.0%	35.6%	45.6%
	Perempuan	Count	10	39	49
		Expected Count	10.3	38.7	49.0
		% of Total	11.1%	43.3%	54.4%
Total	Count	19	71	90	
	Expected Count	19.0	71.0	90.0	
	% of Total	21.1%	78.9%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.032 ^a	1	.858		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.032	1	.858		
Fisher's Exact Test				1.000	.530
Linear-by-Linear Association	.032	1	.859		
N of Valid Cases	90				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.66.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Phi	.019	.858
	Cramer's V	.019	.858

