Crosstabs

Notes

Notes						
Output Created		28-DEC-2020 12:19:41				
Comments						
Input	Active Dataset	DataSet4				
	Filter	<none></none>				
	Weight	<none></none>				
	Split File	<none></none>				
	N of Rows in Working Data File	1356				
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.				
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.				
Syntax		CROSSTABS /TABLES=Tipe BY Status /FORMAT=AVALUE TABLES /STATISTICS=CHISQ PHI BTAU /CELLS=COUNT EXPECTED TOTAL /COUNT ROUND CELL /BARCHART.				
Resources	Processor Time	00:00:00.23				
	Elapsed Time	00:00:00.18				
	Dimensions Requested	2				
	Cells Available	524245				

Case Processing Summary

Cases

Valid Missing Total

	N	Percent	N	Percent	N	Percent
Tipe * Status	1356	100.0%	0	0.0%	1356	100.0%

Tipe * Status Crosstabulation

			Total			
Tipe	Video	Count	512	432	262	1206
		Expected Count	455.4	517.6	233.0	1206.0
		% of Total	37.8%	31.9%	19.3%	88.9%
	Photo	Count	0	150	0	150
		Expected Count	56.6	64.4	29.0	150.0
		% of Total	0.0%	11.1%	0.0%	11.1%
Total		Count	512	582	262	1356
		Expected Count	512.0	582.0	262.0	1356.0
		% of Total	37.8%	42.9%	19.3%	100.0%

Chi-Square Tests


			Asymptotic	
			Significance	
	Value	df	(2-sided)	
Pearson Chi-Square	224.296a	2	.000	
Likelihood Ratio	278.995	2	.000	
Linear-by-Linear Association	10.672	1	.001	
N of Valid Cases	1356			

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 28.98.

Symmetric Measures

			Asymptotic		Approximate
		Value	Standard Error ^a	Approximate T ^b	Significance
Nominal by Nominal	Phi	.407			.000
	Cramer's V	.407			.000
Ordinal by Ordinal	Kendall's tau-b	.115	.013	7.881	.000
N of Valid Cases		1356			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.



SAVE OUTFILE='D:\ELEX2020\2020-2021\Data\Input\Data 4.3.sav' /COMPRESSED.