

Crosstabs

Notes

Output Created		21-MAR-2021 09:57:26
Comments		
Input	Data	D:\ELEX2020\2020-2021\DATA\Input\Data 8.3.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Persepsi BY Jenis /FORMAT=AVALUE TABLES /STATISTICS=CHISQ CORR /CELLS=COUNT /COUNT ROUND CELL /BARCHART.
Resources	Processor Time	00:00:00.56
	Elapsed Time	00:00:00.19
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Persepsi * Jenis	100	100.0%	0	0.0%	100	100.0%

Persepsi * Jenis Crosstabulation

Count

		Jenis			Total
		Bersepeda	Jalan Kaki	Lari	
Persepsi	Sangat Bermanfaat	15	25	14	54
	Tidak Bermanfaat	20	15	11	46
Total		35	40	25	100

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	2.953 ^a	2	.228
Likelihood Ratio	2.964	2	.227
Linear-by-Linear Association	1.308	1	.253
N of Valid Cases	100		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.50.

Symmetric Measures

		Value	Asymptotic Standard Error ^a	Approximate T ^b	
Interval by Interval	Pearson's R	-.115	.100	-1.145	
Ordinal by Ordinal	Spearman Correlation	-.121	.100	-1.202	
N of Valid Cases		100			

